WELDING JOURNAL INDEX

VOLUME 58—1979

PUBLISHED BY AMERICAN WELDING SOCIETY, 2501 N.W. 7th ST., MIAMI, FL 33125

Part 1—WELDING JOURNAL

SUBJECT INDEX

Adams Lecture: The Technology of Brazing and Soldering is Broad-Based and Vital to the Industrial Economy, 1979—G.M. Slaughter, 17 to 28, (Oct).

*Air Cleaning Units Overcome Flux Cored Welding Fume Problem, Electronic—51, 53, (Sept).

*Air Conditioner Builder, Welding Automation Reduces Handling by 70% for—48, (Oct).

AiResearch, Arc Welding Times Slashed by Robot at—W. Hosier, 26 to 29, (Jan).

*Air without Heat Loss, Manufacturer Clears the—J. Schubert, 54 to 56, (July).

Aluminum Cuts Automotive Manifold Costs, EB Welding Combined with Die Cast—P. V. Mara, 33 to 36, (Mar).

Aluminum, GTA Welding and Heat Treating of High Purity—R. C. Voigt and C. R. Loper, Jr., 20 to 26, (Jan).

Aluminum Plate, One-Side Welding of—R. F. Ashton and R. P. Wesley, 20 to 26, (Apr).

Aluminum Radiators, The Fluxless Brazing of—J. C. Warner and W. C. Weltman, 25 to 32, (Mar).

Application of Dispersion Strengthened Copper for Resistance Welding Electrodes, The—E. P. Weber, R. J. Lichvar and A. V. Nadkarni, 34 to 40, (Aug).

Application of Narrow-Gap Process—S. Sawada, K. Hori, M. Kawahara, M. Takao and I. Asano, 17 to 25, (Sept.)

Arc Welded Steel Columns—A Progress Report—O. W. Blodgett, 15 to 29, (June).

Arc Welding, Gravity Welding—A Variation of Shielded Metal—H. B. Cary, 36 to 39, (Nov).

Arc Welding Times Slashed by Robot at AiResearch—W. Hosier, 26 to 29, (Jan).

*Armatures Provides Increased Productivity and Improved Quality, Wave Soldering of Motor—54 to 55, (June).

Art of Soldering, Some Science in the—C. A. Mackay, 36 to 47, (June).

*Automated Welding System Keeps 'em Rolling—54 to 56, (May).

*Automatic Process Streamlines Tube-to-Tubesheet Welding—54 to 55, (Dec).

*Automation Reduces Handling by 70% for Air Conditioning Builder, Welding—48, (Oct).

Automotive Manifold Costs, EB Welding Combined With Die Cast Aluminum Cuts—P. V. Mara, 33 to 36, (Mar).

*Backing Tape Shaves Time from Ice Rink Construction—49, (Feb).

*Beveling Machine, School Shop Assembles "Home-made"—42 to 43, (Aug).

*Blacksmith Turns Back the Calendar for Forging and Metal Repair, Master—50, (Dec).

*Board Solderability, Hot Air Leveling Improves—43, 45, (Oct).

Brazing and Oxygen Cutting, Optical Radiation Levels Produced in Gas Welding, Torch—C. E. Moss and W. E. Murray, 37 to 46, (Sept).

Brazing and Soldering is Broad-Based and Vital to the Industrial Economy, 1979 Adams Lecture: The Technology of—G. M. Slaughter, 17 to 28, (Oct).

*Brazing Innovations Aid Fusion Reactor Project—42 to 43, (Oct).

Brazing of Aluminum Radiators, The Fluxless—J. C. Warner and W. C. Weltman, 25 to 32, (Mar).

Brazing of Steel, A New Approach to the—N. T. George and R. Natarajan, 39 to 40, (Oct).

Breeder Reactor Core Support Structure, Welding the Clinch River—W. W. Canary and E. A. Franco-Ferreira, 15 to 19, (Apr).

*Bridge Girders Weld-Fabricated "Down Under", Giant—53, (Dec).

Bucket Wheel Excavators, Welding of—H. Heusler and W. Packeiser, 36 to 46, (Feb).

Butt Welding of Mild Steel Tubing, The Magnetically Impelled—K. I. Johnson, A. W. Carter, W. O. Dinsdale, P. L. Threadgill and J. A. Wright—17 to 27, (Nov).

*Ceramic Fibers Stretch Heater Service Life—42 to 43, (Mar).

*Chambers, Weld Quality Paramount in Navy Diver Training—45-46, 48, (Oct).

*Checking the Quality of a Laser Weld—53 to 54, (July).

*Clad Metal Material Cuts Commutator Manufacturing Rejects, New—35, (Jan).

Clinch River Breeder Reactor Core Support Structure, Welding the—W. W. Canary and E. A. Franco-Ferreira, 15 to 19, (Apr).

*Coal Truck Welded from Specialty Steel, Mammoth—40, (Nov).

*Collectors Help Control Welding Fumes and Heat Plant with Recirculated Air, Dust—31 to 32, (Jan).

Columns—A Progress Report, Arc Welded Steel—O. W. Blodgett, 15 to 29, (June).

*Commutator Manufacturing Rejects, New Clad Metal Material Cuts—35, (Jan).

Computer Controlled Self Programming Welding Ma-

*A Practical Welder article

chine—J. G. Bollinger and P. W. Ramsey, 15 to 21, (May).
*Computer-Controlled Welding Speeds Fabrication of Hydrofoil Panels—54 to 55, (Sept).
Computers, Solving Resistance Welding Problems With Mini- and Micro-—C. F. Paxton, 27 to 32, (Aug).
Controlled Total Copper in Wire Electrodes—R. C. Shutt, 30 to 35, (Nov).
*Control Selection, 'Crystal Ball' Sheds Light on Welding—46, (Nov).
Copper for Resistance Welding Electrodes, The Application of Dispersion Strengthened—E. P. Weber, R. J. Lichvar and A. V. Nadkarni, 34 to 40, (Aug).
Copper in Wire Electrodes, Controlled Total—R. C. Shutt, 30 to 35, (Nov).
Copper-Nickel Clad Ship—Copper Mariner II, Welding a—M. Prager and E. W. Thiele, 17 to 24, (July).
CO_2 Welded Pipeline in the World, Mexico Builds Largest, Most Modern—R. A. Doughty and K. Wogoman, 15 to 19, (Jan).
*Crankshaft Repaired at 30% Savings—48, (Feb).
*'Crystal Ball' Sheds Light on Welding Control Selection—46, (Nov).
Cu-Ni Clad Steel for Hull Plate, Welding of—L. C. Minard, T. J. Kelly and N. Kenyon, 38 to 46, (May).
Cutting, Optical Radiation Levels Produced in Gas Welding, Torch Brazing and Oxygen—C. E. Moss and W. E. Murray, 37 to 46, (Sept).

*Deposits More Metal with Less Dilution, Strip Overlay—44 to 45, (Nov).
Design for the Friction Welding Process, Joint—D. L. Kuruzar, 31 to 35, (June).
Die Cast Aluminum Cuts Automotive Manifold Costs, EB Welding Combined With—P. V. Mara, 33 to 36, (Mar).
Dispersion Strengthened Copper for Resistance Welding Electrodes, The Application of—E. P. Weber, R. J. Lichvar and A. V. Nadkarni, 34 to 40, (Aug).
*Diver Training Chambers, Weld Quality Paramount in Navy—45 to 48, (Oct).
*Door Closer Spindles, Metallizing Gives Longer Service Life to—55, (June).
*Dust Collectors Help Control Welding Fumes and Heat Plant with Recirculated Air—31 to 32, (Jan).

EB Welding Combined With Die Cast Aluminum Cuts Automotive Manifold Costs—P. V. Mara, 33 to 36, (Mar).
*Electrode Selection, Low Reject Rate for 11,000 Welds Credited to Training and Proper—48, 51, (June).
Electrodes, Controlled Total Copper in Wire—R. C. Shutt, 30 to 35, (Nov).
*Electronic Air Cleaning Units Overcome Flux Cored Welding Fume Problem—51, 53, (Sept).
Electroslag Weldments: Performance and Needed Research—J. D. Culp, 27 to 41, (July).
European Health and Safety Activities in Relation to Welding, Reflections on Current—G. H. G. McMillan, 21 to 25, (Dec).
Excavators, Welding of Bucket Wheel—H. Heusler and W. Packeiser, 36 to 46, (Feb).

*Fabric Produced Using Resistance Welding, Wire—41 to 42, (Mar).
*FCAW + 400 Welders = Railcars at FMC, GMAW +—48, 51, (Sept).
*Fibers Stretch Heater Service Life, Ceramic—42 to 43, (Mar).
Flat Position, Narrow-Gap, Gas Metal Arc Welding Process in—S. Kimura, I. Ichihara and Y. Nagai, 44 to 52, (July).
Fluxless Brazing of Aluminum Radiators, The—J. C. Warner and W. C. Weltman, 25 to 32, (Mar).
Flux Technology of Inorganic Materials for Soldering—R. E. Beal, 27 to 33, (Feb).
*Forging and Metal Repair, Master Blacksmith Turns Back the Calendar for —50, (Dec).
Friction Welding Process, Joint Design for the—D. L. Kuruzar, 31 to 35, (June).
*Fume Problem, Electronic Air Cleaning Units Overcome Flux Cored Welding—51, 53, (Sept).
*Fumes and Heat Plant with Recirculated Air, Dust Collectors Help Control Welding—31 to 32, (Jan).
*Fusion Reactor Project, Brazing Innovations Aid—42 to 43, (Oct).

Gas Metal Arc Welding Process in Flat Position, Narrow-Gap—S. Kimura, I. Ichihara and Y. Nagai, 44 to 52, (July).
Gas Welding, Torch Brazing and Oxygen Cutting, Optical Radiation Levels Produced in—C. E. Moss and W. E. Murray, 37 to 46, (Sept).
*Giant Bridge Girders Weld-Fabricated "Down Under"—53, (Dec).
*Girders Weld-Fabricated "Down Under", Giant Bridge—53, (Dec).
*GMA System Increases Production By 7:1 in Joining and Surfacing, Plasma/—47 to 48, (Aug).
*GMAW, Trash . . . Mountains of Trash . . . Moved With the Help of—38 to 39, (Apr).
*GMAW + FCAW + 400 Welders = Railcars at FMC—48, 51, (Sept).
Gravity Welding—A Variation of Shielded Metal Arc Welding—H. B. Cary, 36 to 39, (Nov).
GTA Welding and Heat Treating of High Purity Aluminum—R. C. Voigt and C. R. Loper, Jr., 20 to 25, (Jan).

*Hardness Tester Helps Assure Zero Defects in Tool Joints for Oil and Gas Drilling—43, 45-46, (Aug).
Health and Safety Activities in Relation to Welding, Reflections on Current European—G. H. G. McMillan, 21 to 25, (Dec).
*Heater Service Life, Ceramic Fibers Stretch—42 to 43, (Mar).
Heat Treating of High Purity Aluminum, GTA Welding and—R. C. Voigt and C. R. Loper, Jr., 20 to 25, (Jan).
*HF Resistance Welding—Its Use for Producing Irrigation Tubing—37 to 38, (Apr).
High Integrity Steam Generator Tube/Tube Plate Joints for the LMFBR—A. F. Taylor and O. Hayden, 30 to 37, (Oct).
Homopolar Pulse Resistance Welding—A New Welding Process—G. B. Grant, W. M. Featherston, R. E. Keith, W. F. Weldon, H. G. Rylander and H. H. Woodson, 24 to 36, (May).
*Hot Air Leveling Improves Board Solderability—43, 45, (Oct).
Hull Plate, Welding of Cu-Ni Clad Steel for—L. C. Minard, T. J. Kelly and N. Kenyon, 38 to 46, (May).
*Hydrofoil Panels, Computer-Controlled Welding Speeds Fabrication of—54 to 55, (Sept).
Hyperbaric Underwater Welding—The State of the Art, Part I—P. T. Delaune and J. D. Weber, 17 to 25, (Aug).
Hyperbaric Underwater Welding—The State of the Art, Part II—P. T. Delaune and J. D. Weber, 28 to 35, (Sept).

*A Practical Welder article

*Ice Rink Construction, Backing Tape Shaves Time from—49, (Feb).
Inorganic Materials for Soldering, Flux Technology of—R. E. Beal, 27 to 33, (Feb).
*Irrigation Tubing, HF Resistance Welding—Its Use for Producing—37 to 38, (Apr).

Joint Design for the Friction Welding Process—D. L. Kuruzar, 31 to 35, (June).

*Laser Weld, Checking the Quality of a—53 to 54, (July).
*Leopard, Oregon Prison Inmates Create a Welded—30 to 31, (Jan).
*Leveling Improves Board Solderability, Hot Air—43, 45, (Oct).
Liquefied Natural Gas Goes to Sea—R. Doughty and W. Chiasson, 27 to 30, (Apr).
LMFBR, High Integrity Steam Generator Tube/Tube Plate Joints for the—A. F. Taylor and O. Hayden, 30 to 37, (Oct).
*Low Reject Rate for 11,000 Welds Credited to Training and Proper Electrode Selection—48, 51, (June).

Machine, Computer Controlled Self Programming—J. G. Bollinger and P. W. Ramsey, 15 to 21, (May).
Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, The—K. I. Johnson, A. W. Carter, W. O. Dinsdale, P. L. Threadgill and J. A. Wright, 17 to 27, (Nov).
*Mammoth Coal Truck Welded from Specialty Steel—40, (Nov).
*Manufacturer Clears the Air without Heat Loss—J. Schubert, 54 to 56, (July).
*Master Blacksmith Turns Back the Calendar for Forging and Metal Repair—50, (Dec.)
*Metallizing Gives Longer Service Life to Door Closer Spindles—55, (June).
Mexico Builds Largest, Most Modern CO_2 Welded Pipeline in the World—R. A. Doughty and K. Wogoman, 15 to 19, (Jan).
*Milk Handling Equipment, Welding for the Manufacture of—38 to 39, (Mar).
Mini- and Micro-Computers, Solving Resistance Welding Problems With—C. F. Paxton, 27 to 32, (Aug).
*Mississippi River Piling, Submerged Arc Welded Pipe Used for—33, (Jan).

Narrow-Gap, Gas Metal Arc Welding Process in Flat Position—S. Kimura, I. Ichihara and Y. Nagai, 44 to 52, (July).
Narrow-Gap Process, Application of—S. Sawada, K. Hori, M. Kawahara, M. Takao and I. Asano, 17 to 25, (Sept).
*Narrow Plate Saves $, Despite Added Welding—59, (May).
Natural Gas Goes to Sea, Liquefied—R. Doughty and W. Chiasson, 27 to 30, (Apr).
*New Clad Metal Material Cuts Commutator Manufacturing Rejects—35, (Jan).
New Approach to the Brazing of Steel, A—N. T. George and R. Natarajan, 39 to 40, (Oct).
1979 Adams Lecture: The Technology of Brazing and Soldering is Broad-Based and Vital to the Industrial Economy—G. M. Slaughter, 17 to 28, (Oct).
*Nozzles for Pressure Vessels With Stainless Steel, Surfacing the Insides of Small—34 to 35, (Apr).

One-Side Welding of Aluminum Plate—R. F. Ashton and R. P. Wesley, 20 to 26, (Apr).

Optical Radiation Levels Produced in Gas Welding, Torch Brazing and Oxygen Cutting—C. E. Moss and W. E. Murray, 37 to 46, (Sept).
*Oregon Prison Inmates Create a Welded Leopard—30 to 31, (Jan).
*Overlay Deposits More Metal with Less Dilution, Strip—44 to 45,(Nov).
*Overlay Welding, Productivity Gains Achieved with—51, 53-54, (June).

*Panels, Computer-Controlled Welding Speeds Fabrication of Hydrofoil—54 to 55, (Sept).
*Pipe Beveling Machine, School Shop Assembles—42 to 43, (Aug).
*Pipe Used for Mississippi River Piling, Submerged Arc Welded—33, (Jan).
Pipe, Welding Techniques Used by Arc Welders to Join Mild Steel—W. L. Ballis and C. DeHaven, 15 to 21, (Mar).
*Plasma Arc Surfacing, Valvemaker Increases Production While Cutting Costs With—44 to 45, (Mar).
*Plasma/GMA System Increases Production By 7:1 in Joining and Surfacing—47 to 48, (Aug).
*Plate, Saves $, Despite Added Welding, Narrow—59, (May).
Pocket Calculator, Solving Welding Design Problems with the—O. W. Blodgett, 26 to 42, (Dec).
*Pressure Vessels with Stainless Steel, Surfacing the Insides of Small Nozzles for—34 to 35, (Apr).
*Prison Inmates Create a Welded Leopard, Oregon—30 to 31, (Jan).
*Productivity Gains Achieved with Strip Overlay Welding—51, 53-54, (June).
*Programmed Welding Increases Rail Car Shock Absorber Output 600%—56, (July).
Progress Report,—Arc Welded Steel Columns, A—O. W. Blodgett, 15 to 29, (June).

Radiation Levels Produced in Gas Welding, Torch Brazing and Oxygen Cutting, Optical—C. E. Moss and W. E. Murray, 37 to 46, (Sept).
Radiators, The Fluxless Brazing of Aluminum—J. C. Warner and W. C. Weltman, 25 to 32, (Mar).
*Railcars at FMC, FMAW + FCAW + 400 Welders = —48, 51, (Sept).
*Rail Car Shock Absorber Output 600%, Programmed Welding Increases—56, (July).
*Reactor Project, Brazing Innovations Aid Fusion—42 to 43, (Oct).
Reflections on Current European Health and Safety Activities in Relation to Welding—G. H. G. McMillan, 21 to 25, (Dec).
*Refrigerator Assembly Costs, 'Tab Welding' Cuts—53 to 54, (May).
*Repaired at 30% Savings, Crankshaft—48, (Feb).
Resistance Welding—A New Welding Process, Homopolar Pulse—G. B. Grant, W. M. Featherston, R. E. Keith, W. F. Weldon, H. G. Rylander and H. H. Woodson, 24 to 36, (May).
Resistance Welding Electrodes, The Application of Dispersion Strengthened Copper for—E. P. Weber, R. J. Lichvar and A. V. Nadkarni, 34 to 40, (Aug).
*Resistance Welding—Its Use for Producing Irrigation Tubing, HF—37 to 38, (Apr).
Resistance Welding Problems With Mini- and Micro-Computers, Solving—C. F Paxton, 27 to 32, (Aug).
*Resistance Welding, Wire Fabric Produced Using—41 to 42, (Mar).
Robot at AiResearch, Arc Welding Times Slashed by—W. Hosier, 26 to 29, (Jan).

*A Practical Welder article

Safety Activities in Relation to Welding, Reflections on Current European Health and—G. H. G. McMillan, 21 to 25, (Dec).
Sea, Liquefied Natural Gas Goes to—R. Doughty and W. Chiasson, 27 to 30, (Apr).
Self Programming Welding Machine, Computer Controlled—J. G. Bollinger and P. W. Ramsey, 15 to 21, (May).
*School Shop Assembles "Homemade" Pipe Beveling Machine—42 to 43, (Aug).
Shielded Metal Arc Welding, Gravity Welding—A Variation of—H. B. Cary, 36 to 39, (Nov).
Ship—Copper Mariner II, Welding a Copper-Nickel Clad—M. Prager and E. W. Thiele, 17 to 24, (July).
*600 Six-Sided Fuel Tanks Welded Per Hour—55, (Sept).
*Six-Sided Fuel Tanks Welded Per Hour, 600—55, (Sept).
*Solderability, Hot Air Leveling Improves Board—43, 45, (Oct).
Soldering is Broad-Based and Vital to the Industrial Economy, 1979 Adams Lecture: The Technology of Brazing and—G. M. Slaughter, 17 to 28, (Oct).
*Soldering of Motor Armatures Provides Increased Productivity and Improved Quality, Wave—54 to 55, (June).
Soldering, Flux Technology of Inorganic Materials for—R. E. Beal, 27 to 33, (Feb).
Soldering, Some Science in the Art of—C. A. Mackay, 36 to 47, (June).
Solving Resistance Welding Problems With Mini- and Micro-Computers—C. F. Paxton, 27 to 32, (Aug).
Solving Welding Design Problems with the Pocket Calculator—O. W. Blodgett, 26 to 42, (Dec).
Some Science in the Art of Soldering—C. A. Mackay, 36 to 47, (June).
*Specialty Steel, Mammoth Coal Truck Welded from—40, (Nov).
*Spindles, Metallizing Gives Longer Service Life to Door Closer—55, (June).
Spot Welding, The Two-Phase Four-Star System for—M. Block, 45 to 49, (Dec).
*Stainless Steel Milk Handling Equipment, Welding for the Manufacture of—38 to 39, (Mar).
*Stainless Steel Surfacing Alloy Fights Sliding Wear—51, (Feb).
*Stainless Steel, Surfacing the Insides of Small Nozzles for Pressure Vessels with—34 to 35, (Apr).
Steel, A New Approach to the Brazing of—N. T. George and R. Natarajan, 39 to 40, (Oct).
Steel Pipe, Welding Techniques Used by Arc Welders to Join Mild—W. L. Ballis and C. DeHaven, 15 to 21, (Mar).
*Steel, Mammoth Coal Truck Welded from Specialty—40, (Nov).
Steel Tubing, The Magnetically Impelled Arc Butt Welding of Mild—K. I. Johnson, A. W. Carter, W. O. Dinsdale, P. L. Threadgill and J. A. Wright, 17 to 27, (Nov).
*Stoves Find New Market, Welded Wood—51, 53, (May).
*Strip Overlay Deposits More Metal with Less Dilution—44 to 45, (Nov).
*Strip Overlay Welding, Productivity Gains Achieved with—51, 53-54, (June).
*Submerged Arc Welded Pipe Used for Mississippi River Piling—33, (Jan).
*Surfacing Alloy Fights Sliding Wear, Stainless Steel—51, (Feb).
*Surfacing, Plasma/GMA System Increases Production By 7:1 in Joining and—47 to 48, (Aug).
*Surfacing the Insides of Small Nozzles for Pressure Vessels with Stainless Steel—34 to 35, (Apr).
*Surfacing, Valvemaker Increases Production While Cutting Costs With Plasma Arc—44 to 45, (Mar).
*System Keeps 'em Rolling, Automated Welding—54 to 56, (May).

*Tab Welding' Cuts Refrigerator Assembly Costs—53 to 54, (May).
*Tanks Welded Per Hour, 600 Six-Sided Fuel—55, (Sept).
Techniques Used by Arc Welders to Join Mild Steel Pipe, Welding—W. L. Ballis and C. DeHaven, 15 to 21, (Mar).
*Ten Tips for Maximum Strength of Welded Wire Assemblies—42 to 44, (Nov).
*Tester Helps Assure Zero Defects in Tool Joints for Oil and Gas Drilling, Hardness—43, 45-46, (Aug).
*Tips for Maximum Strength of Welded Wire Assemblies, Ten—42 to 44, (Nov).
*Tool Joints for Oil and Gas Drilling, Hardness Tester Helps Assure Zero Defects in—43, 45-46, (Aug).
*Training and Proper Electrode Selection, Low Reject Rate for 11,000 Welds Credited to—48, 51, (June).
*Trash . . . Mountains of Trash . . . Moved With the Help of GMAW—38 to 39, (Apr).
*Truck Welded from Specialty Steel, Mammoth Coal—40, (Nov).
*Tube-to-Tubesheet Welding, Automatic Process Streamlines—54 to 55, (Dec).
Tube/Tube Plate Joints for the LMFBR, High Integrity Steam Generator—A. F. Taylor and O. Hayden, 39 to 40, (Oct).
*Tubing, HF Resistance Welding—Its Use for Producing Irrigation—37 to 38, (Apr).
Tubing, The Magnetically Impelled Arc Butt Welding of Mild Steel—K. I. Johnson, A. W. Carter, W. O. Dinsdale, P. L. Threadgill and J. A. Wright, 17 to 27, (Nov).
Two-Phase Four-Star System for Spot Welding, The—M. Block, 45 to 49, (Dec).

Underwater Welding—The State of the Art, Part I, Hyperbaric—P. T. Delaune and J. D. Weber, 17 to 25, (Aug).
Underwater Welding—The State of the Art, Part II, Hyperbaric—P. T. Delaune and J. D. Weber, 28 to 35, (Sept).
USSR, Welding in the—B. E. Paton, 15 to 26, (Feb).

*Valvemaker Increases Production While Cutting Costs With Plasma Arc Surfacing—44 to 45, (Mar).

*Wave Soldering of Motor Armatures Provides Increased Producitivity and Improved Quality—54 to 55, (June).
*Welded Wood Stoves Find New Market—51, 53, (May).
Welding a Copper-Nickel Clad Ship—Copper Mariner II—M. Prager and E. W. Thiele, 17 to 24, (July).
*Welding Automation Reduces Handling by 70% for Air Conditioner Builder—48, (Oct).
Welding—A Variation of Shielded Metal Arc Welding, Gravity—H. B. Cary, 36 to 39, (Nov).
Welding Design Problems with the Pocket Calculator, Solving—O. W. Blodgett, 26 to 42, (Dec).
*Welding for the Manufacture of Stainless Steel Milk Handling Equipment—38 to 39, (Mar).
*Welding Increases Rail Car Shock Absorber Output 600%, Programmed—56, (July).
Welding in the USSR—B. E. Paton, 15 to 26, (Feb).
Welding of Bucket Wheel Excavators—H. Heusler and W. Packeiser, 36 to 46, (Feb).
Welding of Cu-Ni Clad Steel for Hull Plate—L. C. Minard, T. J. Kelly and N. Kenyon, 38 to 46, (May).
Welding Techniques Used by Arc Welders to Join Mild Steel Pipe—W. L. Ballis and C. DeHaven, 15 to 21, (Mar).
Welding the Clinch River Breeder Reactor Core Support Structure—W. W. Canary and E. A. Franco-Ferreira, 15 to 19, (Apr).

*A Practical Welder article

*Weld Quality Paramount in Navy Driver Training Chambers—45 to 46, 48, (Oct).

*A Practical Welder article

*Wire Assemblies, Ten Tips for Maximum Strength of Welded—42 to 44, (Nov).
Wire Electrodes, Controlled Total Copper in—R. C. Shutt, 30 to 35, (Nov).
*Wire Fabric Produced Using Resistance Welding—41 to 42, (Mar).

AUTHOR INDEX

Asano, I., Sawada, S., Hori, K., Kawahara, M. and Takao, M.—Application of Narrow-Gap Process, 17 to 25, (Sept).
Ashton, R. F. and Wesley, R. P.—One-Side Welding of Aluminum Plate, 20 to 26, (Apr).

Ballis, W. L. and DeHaven, C.—Welding Techniques Used by Arc Welders to Join Mild Steel Pipe, 15 to 21, (Mar).
Block, M.—The Two-Phase Four-Star System for Spot Welding, 45 to 49, (Dec).
Blodgett, O. W.—Arc Welded Steel Columns—A Progress Report, 15 to 29, (June).
Blodgett, O. W.—Solving Welding Design Problems with the Pocket Calculator, 26 to 42, (Dec).
Bollinger, J. G. and Ramsey, P. W.—Computer Controlled Self Programming Welding Machine, 15 to 21, (May).

Canary, W. W. and Franco-Ferreira, E. A.—Welding the Clinch River Breeder Reactor Core Support Structure, 15 to 19, (Apr).
Cary, H. B.—Gravity Welding—A Variation of Shielded Metal Arc Welding, 36 to 39, (Nov).
Carter, A. W., Dinsdale, W. O., Threadgill, P. L., Wright, J. A. and Johnson, K. I.—The Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, 17 to 27, (Nov).
Chiasson, W. and Doughty, R.—Liquefied Natural Gas Goes to Sea, 27 to 30, (Apr).
Culp, J. D.—Electroslag Weldments: Performance and Needed Research, 27 to 41, (July).

DeHaven, C. and Ballis, W. L.—Welding Techniques Used by Arc Welders to Join Mild Steel Pipe, 15 to 21, (Mar).
Delaune P. T. and Weber, J. D.—Hyperbaric Underwater Welding—The State of the Art, Part I, 17 to 25, (Aug).
Delaune, P. T. and Weber, J. D.—Hyperbaric Underwater Welding—The State of the Art, Part II, 28 to 35, (Sept).
Dinsdale, W. O., Threadgill, P. L., Wright, J. A., Johnson, K. I. and Carter, A. W.—The Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, 17 to 27, (Nov).
Doughty, R. A. and Wogoman, K.—Mexico Builds Largest, Most Modern CO_2 Welded Pipeline in the World, 15 to 19, (Jan).
Doughty, R. and Chiasson, W.—Liquefied Natural Gas Goes to Sea, 27 to 30, (Apr).

Featherston, W. M., Keith, R. E., Weldon, W. F., Rylander, H. G., Woodson, H. H. and Grant, G. B.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).
Franco-Ferreira, E. A. and Canary, W. W.—Welding the Clinch River Breeder Reactor Core Support Structure, 15 to 19, (Apr).

George, N. T. and Natarajan, R.—A New Approach to the Brazing of Steel, 39 to 40, (Oct).
Grant, G. B., Featherston, W. M., Keith, R. E., Weldon, W. F., Rylander, H. G. and Woodson, H. H.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).

Hayden, O. and Taylor, A. F.—High Integrity Steam Generator Tube/Tube Plate Joints for the LMFBR, 30 to 37, (Oct).
Heusler, H. and Packeiser, W.—Welding of Bucket Wheel Excavators, 36 to 46, (Feb).
Hori, K., Kawahara, M., Takao, M., Asano, I. and Sawada, S.—Application of Narrow-Gap Process, 17 to 25, (Sept).
Hosier, W.—Arc Welding Times Slashed by Robot at AiResearch, 26 to 29, (Jan).

Ichihara, I., Nagai, Y. and Kimura, S.—Narrow-Gap, Gas Metal Arc Welding Process in Flat Position, 44 to 52, (July).

Johnson, K. I., Carter, A. W., Dinsdale, W. O., Threadgill, P. L. and Wright, J. A.—The Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, 17 to 27 (Nov).

Kawahara, M., Takao, M., Asano, I., Sawada, S. and Hori, K.—Application of Narrow-Gap Process, 17 to 25, (Sept).
Keith, R. E., Weldon, W. F., Rylander, H. G., Woodson, H. H., Grant, G. B. and Featherston, W. M.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).
Kelly, T. J., Kenyon, N. and Minard, L. C.—Welding of Cu-Ni Clad Steel for Hull Plate, 38 to 46, (May).
Kenyon, N., Minard, L. C. and Kelly, T. J.—Welding of Cu-Ni Clad Steel for Hull Plate, 38 to 46, (May).
Kimura, S., Ichihara, I. and Nagai, Y.—Narrow-Gap, Gas Metal Arc Welding Process in Flat Position, 44 to 52, (July).
Kuruzar, D. L.—Joint Design for the Friction Welding Process, 31 to 35, (June).

Lichvar, R. J., Nadkarni, A. V. and Weber, E. P.—The Application of Dispersion Strengthened Copper for Resistance Welding Electrodes, 34 to 40, (Aug).
Loper, Jr., C. R. and Voigt, R. C.—GTA Welding and Heat Treating of High Purity Aluminum, 20 to 25, (Jan).

Mackay, C. A.—Some Science in the Art of Soldering, 36 to 47, (June).
Mara, P. V.—EB Welding Combined With Die Cast Aluminum Cuts Automotive Manifold Costs, 33 to 36, (Mar).
McMillan, G. H. G.—Reflections on Current European Health and Safety Activities in Relation to Welding, 21 to 25, (Dec).
Minard, L. C., Kelly, T. J. and Kenyon, N.—Welding of Cu-Ni Clad Steel for Hull Plate, 38 to 46, (May).

Moss, C. E. and Murray, W. E.—Optical Radiation Levels Produced in Gas Welding, 37 to 46, (Sept).
Murray, W. E. and Moss, C. E.—Optical Radiation Levels Produced in Gas Welding, 37 to 46, (Sept).

Nadkarni, A. V., Weber, E. P. and Lichvar, R. J.—The Application of Dispersion Strengthened Copper for Resistance Welding Electrodes, 34 to 40, (Aug).
Nagai, Y., Kimura, S. and Ichihara, I.—Narrow-Gap, Gas Metal Arc Welding Process in Flat Position, 44 to 52, (July).
Natarajan, R. and George, N. T.—A New Approach to the Brazing of Steel, 39 to 40, (Oct).

Packeiser, W. and Heusler, H.—Welding of Bucket Wheel Excavators, 36 to 46, (Feb).
Paton, B. E.—Welding in the USSR, 15 to 26, (Feb).
Paxton, C. F.—Solving Resistance Welding Problems With Mini- and Micro-Computers, 27 to 32, (Aug).
Prager, M. and Thiele, E. W.—Welding a Copper-Nickel Clad Ship—Copper Mariner II, 17 to 24, (July).

Ramsey, P. W. and Bollinger, J. G.—Computer Controlled Self Programming Welding Machine, 15 to 21, (May).
Rylander, H. G., Woodson, H. H., Grant, G. B., Featherston, W. M., Keith, R. E. and Weldon, W. F.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).

Sawada, S., Hori, K., Kawahara, M., Takao, M. and Asano, I.—Application of Narrow-Gap Process, 17 to 25, (Sept).
*Schubert, J.—Manufacturer Clears the Air without Heat Loss, 54 to 56, (July).
Shutt, R. C.—Controlled Total Copper in Wire Electrodes, 30 to 35, (Nov).
Slaughter, G. M.—1979 Adams Lecture: The Technology of Brazing and Soldering is Broad-Based and Vital to the Industrial Economy, 17 to 28, (Oct).

Takao, M., Asano, I., Sawada, S., Hori, K. and Kawahara, M.—Application of Narrow-Gap Process, 17 to 25, (Sept).
Taylor, A. F. and Hayden, O.—High Integrity Steam Generator Tube/Tube Plate Joints for the LMFBR, 30 to 37, (Oct).
Thiele, E. W. and Prager, M.—Welding a Copper-Nickel Clad Ship—Copper Mariner II, 17 to 24, (July).
Threadgill, P. L., Wright, J. A., Johnson, K. I., Carter, A. W. and Dinsdale, W. O.—The Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, 17 to 27, (Nov).

Voigt, R. C. and Loper, Jr., C. R.—GTA Welding and Heat Treating of High Purity Aluminum, 20 to 25, (Jan).

Warner, J. C. and Weltman, W. C.—The Fluxless Brazing of Aluminum Radiators, 25 to 32, (Mar).
Weber, J. D. and Delaune, P. T.—Hyperbaric Underwater Welding—The State of the Art, Part I, 17 to 25, (Aug).
Weber, J. D. and Delaune, P. T.—Hyperbaric Underwater Welding—The State of the Art, Part II, 28 to 35, (Sept).
Weber, E. P., Lichvar, R. J. and Nadkarni, A. V.—The Application of Dispersion Strengthened Copper for Resistance Welding Electrodes, 34 to 40, (Aug).
Weldon, W. F., Rylander, H. G., Woodson, H. H., Grant, G. B., Featherston, W. M. and Keith, R. E.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).
Weltman, W. C. and Warner, J. C.—The Fluxless Brazing of Aluminum Radiators, 25 to 32, (Mar).
Wesley, R. P. and Ashton, R. F.—One-Side Welding of Aluminum Plate, 20 to 26, (Apr).
Wogoman, K. and Doughty, R. A.—Mexico Builds Largest, Most Modern CO_2 Welded Pipeline in the World, 15 to 19, (Jan).
Woodson, H. H., Grant, G. B., Featherston, W. M., Keith, R. E., Weldon, W. F. and Rylander, H. G.—Homopolar Pulse Resistance Welding—A New Welding Process, 24 to 36, (May).
Wright, J. A., Johnson, K. I., Carter, A. W., Dinsdale, W. O. and Threadgill, P. L.—The Magnetically Impelled Arc Butt Welding of Mild Steel Tubing, 17 to 27, (Nov).

A Practical Welder article

Part 2—WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Alclad Brazing Sheet, Zinc Distribution in Vacuum Brazed—P. McNamara and O. R. Singleton, 7-s to 11-s, (Jan).
Aluminum Alloy Weldments, Fatigue Properties of 5456-H117—D. Raghavan and M. Murphy, 355-s to 361-s, (Dec).
Aluminum, Hot-Cracking Susceptibility of 3004—W. F. Savage, E. F. Nippes and J. D. Varsik, 45-s to 53-s, (Feb).
Aluminum Weld Puddles, Expansion and Stress Around—R. A. Chihoski, 263-s to 276-s, (Sept).
Analytical Electron Microscopy of Stainless Steel Weld Metal—C. E. Lyman, 189-s to 194-s, (July).
Application of Laser Welding to Overcome Joint Asymmetry, The—E. J. Morgan-Warren, 76-s to 82-s, (Mar).
Arc: A Study of the Process Variables, Pulsed Plasma-Pulsed GTA—A. A. Omar and C. D. Lundin, 97-s to 105-s, (Apr).
Arc Force on Defect Formation in GTA Welding. Effect of—W. F. Savage, E. F. Nippes and K. Agusa, 212-s to 224-s, (July).
Asymmetry, The Application of Laser Welding to Overcome Joint—E. J. Morgan-Warren, 76-s to 82-s, (Mar).
Austenitic Stainless Steel Filler Metals, Solidification Behavior of—S. A. David, G. M. Goodwin and D. N. Braski, 330-s to 336-s, (Nov).
Austenitic Stainless Steel Weldments by an Electrochemical Technique, Estimation of Delta Ferrite in—T. P. S. Gill, R. K. Dayal and J. B. Gnanamoorthy, 375-s to 378-s, (Dec).
Austenitic Stainless Steel Weldments: Part 1—A Proposed

Mechanism, Solidification of—J. C. Lippold and W. F. Savage, 362-s to 374-s, (Dec).
Austenitic Stainless Steel Weldments, Unmixed Zone Formation in—W. A. Baeslack, III, J. C. Lippold and W. F. Savage, 168-s to 176-s, (June).

Brazed Joints—Influence of Brazing Parameters, Strength of High Temperature—E. Lugscheider, K. Klöhn and R. Lison, 296-s to 300-s, (Oct).
Brazed Joints of Inconel 718 Nickel Base Alloy, Static and Dynamic Crack Toughness of—B. Z. Weiss, H. D. Steffans, A. H. Engelhart and B. Wielage, 287-s to 295-s, (Oct).
Brazing Filler Metal, Nickel-Palladium Base—T. L. D'Silva, 283-s to 286-s, (Oct).
Brazing of Hastelloy X with Wide Clearance Butt Joints—J. W. Chasteen and G. E. Metzger, 111-s to 117-s, (Apr).
Butt Joints, Brazing of Hastelloy X with Wide Clearance—J. W. Chasteen and G. E. Metzger, 111-s to 117-s, (Apr).

Castings by Welding, A Fracture Mechanics Approach to the Repair of Ferritic Stainless Steel—K. Purazrang, 248-s to 252-s, (Aug).
Cast Iron Weldments, Secondary Graphite Formation in Tempered Nodular—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).
Causes of Grain-Boundary Separation in Electroslag Weld Metals—P. J. Konkol and W. F. Domis, 161-s to 167-s, (June).
Chlorides, Stress Corrosion Behavior of Stainless Steel Welds in High Temperature Water Containing—R. Viswanathan, J. I. Nurminen and R. G. Aspden, 118-s to 126-s, (Apr).
Chromium in Stainless Steel Welding Fumes, Investigations on—S. Kimura, M. Kobayashi, T. Godai and S. Minato, 195-s to 204-s, (July).
Columbium and Vanadium on the Weldability of HSLA Steels, Effect of—E. G. Signes and J. C. Baker, 179-s to 187-s, (June).
Cracking in Soviet Steels Involved in USA/USSR Exchange Program Hydrogen-Induced—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
Cracking in Steel Weld Metals, A Mechanism of High Temperature—H. Homma, N. Mori and K. Shinmyo, 277-s to 282-s, (Sept).
Cracks to the Integrity of Pressure Vessels for Light-Water Reactors, Significance of Reheat—D. A. Canonico, 127-s to 142-s, (May).
Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part II—Role of Nitrogen—E. R. Szumachowski and H. F. Reid, 34-s to 44-s, (Feb).
Curtains, Optical Radiation Transmission Levels Through Transparent Welding—C. E. Moss, 69-s to 75-s, (Mar).

Defect Formation in GTA Welding, Effect of Arc Force on—W. F. Savage, E. F. Nippes and K. Agusa, 212-s to 224-s, (July).
Delayed Cracking Susceptibility, Implant Testing of Medium to High Strength Steel—A Model for Predicting—D. W. Dickinson and G. D. Ries, 205-s to 211-s, (July).
Delta Ferrite in Austenitic Stainless Steel Weldments by an Electrochemical Technique, Estimation of—T. P. S. Gill, R. K. Dayal and J. B. Gnanamoorthy, 375-s to 378-s, (Dec).
Delta-Ferrite Transformations in a Type 316 Weld Metal—J. K. Lai and J. R. Haigh, 1-s to 6-s, (Jan).
Design, Materials and Fabrication—A Synergism—R. D. Stout, 106-s to 110-s, (Apr).
Diffusion Welding of Reactive and Refractory Metals to Stainless Steel—R. Lison and J. F. Stelzer, 306-s to 314-s, (Oct).

Effect of Arc Force on Defect Formation in GTA Welding—W. F. Savage, E. F. Nippes and K. Agusa, 212-s to 224-s, (July).
Effect of Columbium and Vanadium on the Weldability of HSLA Steels—E. G. Signes and J. C. Baker, 179-s to 187-s, (June).
Effect of Joint Restraint on Lamellar Tearing Susceptibility in Steel Plates—L. Malik and B. A. Graville, 12-s to 20-s, (Jan).
Effect of Microalloys on the Notch Toughness of Line Pipe Seam Welds—Y. Yoshino and R. D. Stout, 59-s to 68-s, (Mar).
Effect of Nitrogen on the Microstructure and Stress Corrosion Cracking of Stainless Steel Weld Metals—W. A. Baeslack, III, W. F. Savage and D. J. Duquette, 83-s to 90-s, (Mar).
Effects of Residual Niobium on Type 304 Stainless Steel—A. J. Moorhead and V. K. Sikka, 253-s to 261-s, (Sept).
Electrode Applied to HT80 Heavy Plates for Penstock, Undermatching—K. Satoh, M. Toyoda, K. Ukita and T. Matsuura, 25-s to 33-s, (Feb).
Electron Microscopy of Stainless Steel Weld Metal, Analytical—C. E. Lyman, 189-s to 194-s, (July).
Electroslag Weld Metals, Causes of Grain-Boundary Separation in—P. J. Konkol and W. F. Domis, 161-s to 167-s, (June).
Estimation of Delta Ferrite in Austenitic Stainless Steel Weldments by an Electrochemical Technique—T. P. S. Gill, R. K. Dayal and J. B. Gnanamoorthy, 375-s to 378-s, (Dec).
Exchange Program, Hydrogen-Induced Cracking in Soviet Steels Involved in USA/USSR—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
Expansion and Stress Around Aluminum Weld Puddles—R. A. Chihoski, 263-s to 276-s, (Sept).

Fabrication—A Synergism, Design, Materials and—R. D. Stout, 106-s to 110-s, (Apr).
Fatigue Properties of 5456-H1117 Aluminum Alloy Weldments—D. Raghavan and M. Murphy, 355-s to 361-s, (Dec).
Ferritic Stainless Steel Castings by Welding, A Fracture Mechanics Approach to the Repair of—K. Purazrang, 248-s to 252-s, (Aug).
Filler Metal, Nickel-Palladium Base Brazing—T. L. D'Silva, 283-s, to 286-s (Oct).
Filler Metals, Solidification Behavior of Austenitic Stainless Steel—S. A. David, G. M. Goodwin and D. N. Braski, 330-s to 336-s, (Nov).
Finite Element Analysis of Laser Welding Induced Thermal Shock—K. Sidorowicz, 324-s to 329-s, (Nov).
Flux, The Relationship of Weld Penetration to the Weld—D. D. Schwemmer, D. L. Olson and D. L. Williamson, 153-s to 160-s, (May).
Fracture Mechanics Approach to the Repair of Ferritic Stainless Steel Castings by Welding—K. Purazrang, 248-s to 252-s, (Aug).
Fumes, Investigations on Chromium in Stainless Steel Welding—S. Kimura, M. Kobayashi, T. Godai and S. Minato, 195-s to 204-s, (July).
Fundamental Mechanisms of Penetrations in GTA Welding—G. S. Mills, 21-s to 24-s, (Jan).

Grain Refinement, The Role of Pulsed GTA Welding Variables in Solidification and—D. W. Becker and C. M. Adams, Jr., 143-s to 152-s, (May).
Graphite Formation in Tempered Nodular Cast Iron Weldments, Secondary—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).

GTA Arc: A Study of the Process Variables, Pulsed Plasma-Pulsed—A. A. Omar and C. D. Lundin, 97-s to 105-s, (Apr).
GTA Welding, Fundamental Mechanisms of Penetration in—G. S. Mills, 21-s to 24-s, (Jan).

Hastelloy Alloy B-2, Simulated Heat-Affected Zone Studies of—S. J. Matthews, 91-s to 95-s, (Mar).
Hastelloy X with Wide Clearance Butt Joints, Brazing of—J. W. Chasteen and G. E. Metzger, 111-s to 117-s, (Apr).
HAZ Toughness of Structural and Pressure Vessel Steels—Improvement and Prediction—R. E. Dolby, 225-s to 238-s, (Aug).
Heat-Affected Zone Studies of Hastelloy Alloy B-2, Simulated—S. J. Matthews, 91-s to 95-s, (Mar).
Heat Treatment for Hydrogen Removal, Postweld—W. S. Kyte and B. Chew, 54-s to 58-s, (Feb).
High Temperature Brazed Joints—Influence of Brazing Parameters, Strength of—E. Lugscheider, K. Klöhn and R. Lison, 296-s to 300-s, (Oct).
Hot-Cracking Susceptibility of 3004 Aluminum—W. F. Savage, E. F. Nippes and J. D. Varsik, 45-s to 53-s, (Feb).
HSLA Steels, Effect of Columbium and Vanadium on the Weldability of—E. G. Signes and J. C. Baker, 179-s to 187-s, (June).
HT80 Heavy Plates for Penstock, Undermatching Electrode Applied to—K. Satoh, M. Toyoda, K. Ukita and T. Matsuura, 25-s to 33-s, (Feb).
Hydrogen Diffusion in Welded Joints and Its Relation to Lamellar Tearing, Technical Note:—E. Betz and H. K. Leung, 177-s to 178-s, 187-s, (June).
Hydrogen-Induced Cracking in Soviet Steels Involved in USA/USSR Exchange Program—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
Hydrogen Removal, Postweld Heat Treatment for—W. S. Kyte and B. Chew, 54-s to 58-s, (Feb).

Implant Testing of Medium to High Strength Steel—A Model for Predicting Delayed Cracking Susceptibility—D. W. Dickinson and G. D. Ries, 205-s to 211-s, (July).
Inconel 718 Nickel-Base Alloy, Static and Dynamic Crack Toughness of Brazed Joints of—B. Z. Weiss, H. D. Steffans, A. H. Engelhart and B. Wielage, 287-s to 295-s, (Oct).
Influence of Some Steelmaking Variables on Ship Plate Weldment Toughness—R. J. Jesseman and G. C. Schmid, 239-s to 247-s, (Aug).
Investigations on Chromium in Stainless Steel Welding Fumes—S. Kimura, M. Kobayashi, T. Godai and S. Minato, 195-s to 204-s, (July).
Iron Weldments, Secondary Graphite Formation in Tempered Nodular Cast—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).

Joint Asymmetry, The Application of Laser Welding to Overcome—E. J. Morgan-Warren, 76-s to 82-s, (Mar).

Lamellar Tearing in Steel Pipe, Technical Note: Inclusion Induced—K. Purazrang and A. A. Tavassoli, 262-s, 276-s, (Sept).
Lamellar Tearing Susceptibility in Steel Plates, Effect of Joint Restraint on—L. Malik and B. A. Graville, 12-s to 20-s, (Jan).
Lamellar Tearing, Technical Note: Hydrogen Diffusion in Welded Joints and Its Relation to—E. Betz and H. K. Leung, 177-s to 178-s, 187-s, (June).
Laser Welding Induced Thermal Shock, Finite Element Analysis of—K. Sidorowicz, 324-s to 329-s, (Nov).
Laser Welding to Overcome Joint Asymmetry, The Application of—E. J. Morgan-Warren, 76-s to 82-s, (Mar).
Low Oxygen Content Submerged Arc Deposits, Notch Toughness of—T. H. North, H. B. Bell, A. Koukabi and I. Craig, 343-s to 354-s, (Dec).

Materials and Fabrication—A Synergism, Design—R. D. Stout, 106-s to 110-s, (Apr).
Mechanism of High Temperature Cracking in Steel Weld Metals, A—H. Homma, N. Mori and K. Shinmyo, 277-s to 282-s, (Sept).
Microalloys on the Notch Toughness of Line Pipe Seam Welds, Effect of—Y. Yoshino and R. D. Stout, 59-s to 68-s, (Mar).
Model for Predicting Delayed Cracking Susceptibility, Implant Testing of Medium to High Strength Steel—A—D. W. Dickinson and G. D. Ries, 205-s to 211-s, (July)

Nickel-Base Alloy, Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718—B. Z. Weiss, H. D. Steffans, A. H. Engelhart and B. Wielage, 287-s to 295-s, (Oct).
Nickel-Palladium Base Brazing Filler Metal—T. L. D'Silva, 283-s to 286-s, (Oct).
Niobium on Type 304 Stainless Steel, Effects of Residual—A. J. Moorhead and V. K. Sikka, 253-s to 261-s, (Sept).
Nitrogen on the Microstructure and Stress Corrosion Cracking of Stainless Steel Weld Metals, Effect of—W. A. Baeslack III, W. F. Savage and D. J. Duquette, 83-s to 90-s, (Mar).
Nodular Cast Iron Weldments, Secondary Graphite Formation in Tempered—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).
Notch Toughness of Low Oxygen Content Submerged Arc Deposits—T. H. North, H. B. Bell, A. Koukabi and I. Craig, 343-s to 354-s, (Dec).
Numerical Simulation of Solder Solidification—D. R. Durham, 301-s to 305-s, (Oct).

Optical Radiation Transmission Levels Through Transparent Welding Curtains—C. E. Moss, 69-s to 75-s, (Mar).

Penetration in GTA Welding, Fundamental Mechanisms of—G. S. Mills, 21-s to 24-s, (Jan).
Penetration to the Weld Flux, The Relationship of Weld—D. D. Schwemmer, D. L. Olson and D. L. Williamson, 153-s to 160-s, (May).
Pipe Seam Welds, Effect of Microalloys on the Notch Toughness of Line—Y. Yoshino and R. D. Stout, 59-s to 68-s, (Mar).
Pipe, Technical Note: Inclusion Induced Lamellar Tearing in Steel—K. Purazrang and A. A. Tavassoli, 262-s, 276-s, (Sept).
Postweld Heat Treatment for Hydrogen Removal—W. S. Kyte and B. Chew, 54-s to 58-s, (Feb).
Pressure Vessels for Light-Water Reactors, Significance of Reheat Cracks to the Integrity of—D. A. Canonico, 127-s to 142-s, (May).
Pressure Vessel Steels—Improvement and Prediction, HAZ Toughness of Structural and—R. E. Dolby, 225-s to 238-s, (Aug).
Process Variables, Pulsed Plasma-Pulsed GTA Arc: A Study of the—A. A. Omar and C. D. Lundin, 97-s to 105-s, (Apr).
Pulsed GTA Welding Variables in Solidification and Grain Refinement, The Role of—D. W. Becker and C. M. Adams, Jr., 143-s to 152-s, (May).
Pulsed Plasma-Pulsed GTA Arc: A Study of the Process Variables—A. A. Omar and C D. Lundin, 97-s to 105-s, (Apr).

Radiation Transmission Levels Through Transparent Weld-

ing Curtains, Optical—C. E. Moss, 69-s to 75-s, (Mar).
Reactive and Refractory Metals to Stainless Steel, Diffusion Welding of—R. Lison and J. F. Stelzer, 306-s to 314-s, (Oct).
Reactors, Significance of Reheat Cracks to the Integrity of Pressure Vessels for Light-Water—D. A. Canonico, 127-s to 142-s, (May).
Relationship of Weld Penetration to the Weld Flux, The—D. D. Schwemmer, D. L. Olson and D. L. Williamson, 153-s to 160-s, (May).
Repair of Ferritic Stainless Steel Castings by Welding, A Fracture Mechanics Approach to the—K. Purazrang, 248-s to 252-s, (Aug).
Restraint on Lamellar Tearing Susceptibility in Steel Plates, Effect of Joint—L. Malik and B. A. Graville, 12-s to 20-s, (Jan).
Role of Pulsed GTA Welding Variables in Solidification and Grain Refinement, The—D. W. Becker and C. M. Adams, Jr., 143-s to 152-s, (May).

Secondary Graphite Formation in Tempered Nodular Cast Iron Weldments—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).
Separation in Electroslag Weld Metals, Causes of Grain-Boundary—P. J. Konkol and W. F. Domis, 161-s to 167-s, (June).
Ship Plate Weldment Toughness, Influence of Some Steelmaking—R. J. Jesseman and G. C. Schmid, 239-s to 247-s, (Aug).
Significance of Reheat Cracks to the Integrity of Pressure Vessels for Light-Water Reactors—D. A. Canonico, 127-s to 142-s, (May).
Simulated Heat-Affected Zone Studies of Hastelloy Alloy B-2—S. J. Matthews, 91-s to 95-s, (Mar).
SMA Austenitic Stainless Steel Weld Metals: Part II—Role of Nitrogen, Cryogenic Toughness of—E. R. Szumachowski and H. F. Reid, 34-s to 44-s, (Feb).
Solder Solidification, Numerical Simulation of—D. R. Durham, 301-s to 305-s, (Oct).
Solidification and Grain Refinement, The Role of Pulsed GTA Welding Variables in—D. W. Becker and C. M. Adams, Jr., 143-s to 152-s, (May).
Solidification Behavior of Austenitic Stainless Steel Filler Metals—S. A. David, G. M. Goodwin and D. N. Braski, 330-s to 336-s, (Nov).
Solidification, Numerical Simulation of Solder—D. R. Durham, 301-s to 305-s, (Oct).
Solidification of Austenitic Stainless Steel Weldments: Part 1—A Proposed Mechanism—J. C. Lippold and W. F. Savage, 362-s to 374-s, (Dec).
Soviet Steels Involved in USA/USSR Exchange Program, Hydrogen-Induced Cracking in—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
Stainless Steel, Diffusion Welding of Reactive and Refractory Metals to—R. Lison and J. F. Stelzer, 306-s to 314-s, (Oct).
Stainless Steel, Effects of Residual Niobium on Type 304—A. J. Moorhead and V. K. Sikka, 253-s to 261-s, (Sept).
Stainless Steel Filler Metals, Solidification Behavior of Austenitic—S. A. David, G. M. Goodwin and D. N. Braski, 330-s to 336-s, (Nov).
Stainless Steel Welding Fumes, Investigations on Chromium in—S. Kimura, M. Kobayashi, T. Godai and S. Minato, 195-s to 204-s, (July).
Stainless Steel Weldments by an Electrochemical Technique, Estimation of Delta Ferrite in Austenitic—T. P. S. Gill, R. K. Dayal and J. B. Gnanamoorthy, 375-s to 378-s, (Dec).
Stainless Steel Weldments: Part 1—A Porposed Mechanism, Solidification of Austenitic—J. C. Lippold and W. F. Savage, 362-s to 374-s, (Dec).
Stainless Steel Weldments, Unmixed Zone Formation in Austenitic—W. A. Baeslack, III, J. C. Lippold and W. F. Savage, 168-s to 176-s, (June).
Stainless Steel Weld Metal, Analytical Electron Microscopy of—C. E. Lyman, 189-s to 194-s, (July).
Stainless Steel Weld Metals, Effect of Nitrogen on the Microstructure and Stress Corrosion Cracking of—W. A. Baeslack, III, W. F. Savage and D. J. Duquette, 83-s to 90-s, (Mar).
Stainless Steel Weld Metals: Part II—Role of Nitrogen, Cryogenic Toughness of SMA Austenitic—E. R. Szumachowski and H. F. Reid, 34-s to 44-s, (Feb).
Stainless Steel Welds in High Temperature Water Containing Chlorides, Stress Corrosion Behavior of—R. Viswanathan, J. I. Nurminen and R. G. Aspden, 118-s to 126-s, (Apr).
Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718 Nickel-Base Alloy—B. Z. Weiss, H. D. Steffans, A. H. Engelhart and B. Wielage, 287-s to 295-s, (Oct).
Steel Filler Metals, Solidification Behavior of Austenitic Stainless—S. A. David, G. M. Goodwin and D. N. Braski, 330-s to 336-s, (Nov).
Steelmaking Variables on Ship Plate Weldment Toughness, Influence of Some—R. J. Jesseman and G. C. Schmid, 239-s to 247-s, (Aug).
Steel Plates, Effect of Joint Restraint on Lamellar Tearing Susceptibility in—L. Malik and B. A. Graville, 12-s to 20-s, (Jan).
Steels—Improvement and Prediction, HAZ Toughness of Structural and Pressure Vessel—R. E. Dolby, 225-s to 238-s, (Aug).
Steels Involved in USA/USSR Exchange Program, Hydrogen-Induced Cracking in Soviet—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
Strength of High Temperature Brazed Joints—Influence of Brazing Parameters—E. Lugscheider, K. Klöhn and R. Lison, 296-s to 300-s, (Oct).
Stress Around Aluminum Weld Puddles, Expansion and—R. A. Chihoski, 263-s to 276-s, (Sept).
Stress Corrosion Behavior of Stainless Steel Welds in High Temperature Water Containing Chlorides—R. Viswanathan, J. I. Nurminen and R. G. Aspden, 118-s to 126-s, (Apr).
Stress Corrosion Cracking of Stainless Steel Weld Metals, Effect of Nitrogen on the Microstructure and—W. A. Baeslack, III, W. F. Savage and D. J. Duquette, 83-s to 90-s, (Mar).
Structural and Pressure Vessel Steels—Improvement and Prediction, HAZ Toughness of—R. E. Dolby, 225-s to 238-s, (Aug).
Submerged Arc Deposits, Notch Toughness of Low Oxygen Content—T. H. North, H. B. Bell, A. Koukabi and I. Craig, 343-s to 354-s, (Dec).
Susceptibility of 3004 Aluminum Hot-Cracking—W. F. Savage, E. F. Nippes and J. D. Varsik, 45-s to 53-s, (Feb).
Synergism, Design, Materials and Fabrication, A—R. D. Stout, 106-s to 110-s, (Apr).

Technical Note: Hydrogen Diffusion in Welded Joints and Its Relation to Lamellar Tearing—E. Betz and H. K. Leung, 177-s to 178-s, 187-s, (June).
Technical Note: Inclusion Induced Lamellar Tearing in Steel Pipe—K. Purazrang and A. A. Tavassoli, 262-s, 276-s, (Sept).
Tempered Nodular Cast Iron Weldments, Secondary Graphite Formation in—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).
Thermal Shock, Finite Element Analysis of Laser Welding Induced—K. Sidorowicz, 324-s to 329-s, (Nov).
Toughness of Line Pipe Seam Welds, Effect of Microalloys

on the Notch—Y. Yoshino and R. D. Stout, 59-s to 68-s, (Mar).
Transformations in a Type 316 Weld Metal, Delta-Ferrite—J. K. Lai and J. R. Haigh, 1-s to 6-s, (Jan).
Transparent Welding Curtains, Optical Radiation Transmission Levels Through—C. E. Moss, 69-s to 75-s, (Mar).
Type 316 Weld Metal, Delta-Ferrite Transformations in a—J. K. Lai and J. R. Haigh, 1-s to 6-s, (Jan).

Undermatching Electrode Applied to HT80 Heavy Plates for Penstock—K. Satoh, M. Toyoda, K. Ukita and T. Matsuura, 25-s to 33-s, (Feb).
Unmixed Zone Formation in Austenitic Stainless Steel Weldments—W. A. Baeslack, III, J. C. Lippold and W. F. Savage, 168-s to 176-s, (June).
USA/USSR Exchange Program, Hydrogen-Induced Cracking in Soviet Steels Involved in—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s, (Nov).
USSR Exchange Program, Hydrogen-Induced Cracking in Soviet Steels Involved in USA/—W. F. Savage, E. F. Nippes and M. A. Pellman, 315-s to 323-s (Nov).

Vacuum Brazed Alclad Brazing Sheet, Zinc Distribution in—P. McNamara and O. R. Singleton, 7-s to 11-s, (Jan).
Vanadium on the Weldability of HSLA Steels, Effect of Columbium and—E. G. Signes and J. C. Baker, 179-s to 187-s, (June).
Variables on Ship Plate Weldment Toughness, Influence of Some Steelmaking—R. J. Jesseman and G. C. Schmid, 239-s to 247-s, (Aug).

Water Containing Chlorides, Stress Corrosion Behavior of Stainless Steels Welds in High Temperature—R. Viswanathan, J. I. Nurminen and R. G. Aspden, 118-s to 126-s, (Apr).
Weldments, Secondary Graphite Formation in Tempered Nodular Cast Iron—D. R. Askeland and N. Birer, 337-s to 342-s, (Nov).
Weld Metals, A Mechanism of High Temperature Cracking in Steel—H. Homma, N. Mori and K. Shinmyo, 277-s to 282-s, (Sept).
Weld Metal, Delta-Ferrite Transformations in a Type 316—J. K. Lai and J. R. Haigh, 1-s to 6-s, (Jan).
Weld Penetration to the Weld Flux, The Relationship of—D. D. Schwemmer, D. L. Olson and D. L. Williamson, 153-s to 160-s, (May).

Zinc Distribution in Vacuum Brazed Alclad Brazing Sheet—P. McNamara and O. R. Singleton, 7-s to 11-s, (Jan).

AUTHOR INDEX

Adams, Jr., C. M. and Becker, D. W.—The Role of Pulsed GTA Welding Variables in Solidification and Grain Refinement, 143-s to 152-s, (May).
Agusa, K., Savage, W. F. and Nippes, E. F.—Effect of Arc Force on Defect Formation in GTA Welding, 212-s to 224-s, (July).
Askeland, D. R. and Birer, N.—Secondary Graphite Formation in Tempered Nodular Cast Iron Weldments, 337-s to 342-s, (Nov).
Aspden, R. G., Viswanathan, R. and Nurminen, J. I.—Stress Corrosion Behavior of Stainless Steel Welds in High Temperature Water Containing Chlorides, 118-s to 126-s, (Apr).

Baeslack, III, W. A., Lippold, J. C. and Savage, W. F.—Unmixed Zone Formation in Austenitic Stainless Steel Weldments, 168-s to 176-s, (June).
Baeslack, III, W. A., Savage, W. F. and Duquette, D. J.—Effect of Nitrogen on the Microstructure and Stress Corrosion Cracking of Stainless Steel Weld Metals, 83-s to 90-s, (Mar).
Baker, J. C. and Signes, E. G.—Effect of Columbium and Vanadium on the Weldability of HSLA Steels, 179-s to 187-s, (June).
Becker, D. W. and Adams, Jr., C. M.—The Role of Pulsed GTA Welding Variables in Solidification and Grain Refinement, 143-s to 152-s, (May).
Bell, H. B., Koukabi, A., Craig, I. and North, T. H.—Notch Toughness of Low Oxygen Content Submerged Arc Deposits, 343-s to 354-s, (Dec).
Betz, E. and Leung, H. K.—Technical Note: Hydrogen Diffusion in Welded Joints, and Its Relation to Lamellar Tearing, 177-s to 178-s, 187-s, (June).
Birer, N. and Askeland, D. R.—Secondary Graphite Formation in Tempered Nodular Cast Iron Weldments, 337-s to 342-s, (Nov).
Braski, D. N., David, S. A. and Goodwin, G. M.—Solidification Behavior of Austenitic Stainless Steel Filler Metals, 330-s to 336-s, (Nov).

Canonico, D. A.—Significance of Reheat Cracks to the Integrity of Pressure Vessels for Light-Water Reactors, 127-s to 142-s, (May).
Chasteen, J. W. and Metzger, G. E.—Brazing of Hastelloy X with Wide Clearance Butt Joints, 11-s to 117-s, (Apr).
Chew, B. and Kyte, W. S.—Postweld Heat Treatment for Hydrogen Removal, 54-s to 58-s, (Feb).
Chihoski, R. A.—Expansion and Stress Around Aluminum Weld Puddles, 263-s to 276-s, (Sept).
Craig, I., North, T. H., Bell, H. B. and Koukabi, A.—Notch Toughness of Low Oxygen Content Submerged Arc Deposits, 343-s to 354-s, (Dec).

David, S. A., Goodwin, G. M. and Braski, D. N.—Solidification Behavior of Austenitic Stainless Steel Filler Metals, 330-s to 336-s, (Nov).
Dayal, R. K., Gnanamoorthy, J. B. and Gill, T. P. S.—Estimation of Delta Ferrite in Austenitic Stainless Steel Weldments by an Electrochemical Technique, 375-s to 378-s, (Dec).
Dickinson, D. W. and Ries, G. D.—Implant Testing of Medium to High Strength Steel—A Model for Predicting Delayed Cracking Susceptibility, 205-s to 211-s, (July).
Dolby, R. E.—HAZ Toughness of Structural and Pressure Vessel Steels—Improvement and Prediction, 225-s to 238-s, (Aug).
Domis, W. F. and Konkol, P. J.—Causes of Grain-Boundary Separation in Electroslag Weld Metals, 161-s to 167-s, (June).
D'Silva, T. L.—Nickel-Palladium Base Brazing Filler Metal, 283-s to 286-s, (Oct).
Duquette, D. J., Baeslack, III, W. A. and Savage, W. F.—Effect of Nitrogen on the Microstructure and Stress Corrosion Cracking of Stainless Steel Weld Metals, 83-s to 90-s, (Mar).
Durham, D. R.—Numerical Simulation of Solder Solidification, 301-s to 305-s, (Oct).

Engelhart, A. H., Wielage, B., Weiss, B. Z. and Steffans, H. D.—Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718 Nickel-Base Alloy, 287-s to 295-s, (Oct).

Gill, T. P. S., Dayal, R. K. and Gnanamoorthy, J. B.—Estimation of Delta Ferrite in Austenitic Stainless Steel Weldments by an Electrochemical Technique, 375-s to 378-s, (Dec).
Godai, T., Minato, S., Kimura, S. and Kobayashi, M.—Investigations on Chromium in Stainless Steel Welding Fumes, 195-s to 204-s, (July).
Gnanamoorthy, J. B., Gill, T. P. S. and Dayal, R. K.—Estimation of Delta Ferrite in Austenitic Stanless Steel Weldments by an Electrochemical Technique, 375-s to 378-s, (Dec).
Goodwin, G. M., Braski, D. N. and David, S. A.—Solidification Behavior of Austenitic Stainless Steel Filler Metals, 330-s to 336-s, (Nov).
Graville, B. A. and Malik, L.—Effect of Joint Restraint on Lamellar Tearing Susceptibility in Steel Plates, 12-s to 20-s, (Jan).

Haigh, J. R. and Lai, J. K.—Delta-Ferrite Transformations in a Type 36 Weld Metal, 1-s to 6-s, (Jan).
Homma, H., Mori, N. and Shinmyo, K.—A Mechanism of High Temperature Cracking in Steel Weld Metals, 277-s to 282-s, (Sept).

Jesseman, R. J. and Schmid, G. C.—Influence of Some Steelmaking Variables on Ship Plate Weldment Toughness, 239-s to 247-s, (Aug).

Kimura, S., Kobayashi, M., Godai, T. and Minato, S.—Investigations on Chromium in Stainless Steel Welding Fumes, 195-s to 204-s, (July).
Klöhn, K., Lison, R. and Lugscheider, E.—Strength of High Temperature Brazed Joints—Influence of Brazing Parameters, 296-s to 300-s, (Oct).
Kobayashi, M., Godai, T., Minato, S. and Kimura, S.—Investigations on Chromium in Stainless Steel Welding Fumes, 195-s to 204-s, (July).
Konkol, P. J. and Domis, W. F.—Causes of Grain-Boundary Separation in Electroslag Weld Metals, 161-s to 167-s, (June).
Koukabi, A., Craig, I., North, T. H. and Bell, H. B.—Notch Toughness of Low Oxygen Content Submerged Arc Deposits, 343-s to 354-s, (Dec).
Kyte, W. S. and Chew, B.—Postweld Heat Treatment for Hydrogen Removal, 54-s to 58-s, (Feb).

Lai, J. K. and Haigh, J. R.—Delta-Ferrite Transformations in a Type 316 Weld Metal, 1-s to 6-s, (Jan).
Leung, H. K. and Betz, E.—Technical Note: Hydrogen Diffusion in Welded Joints and Its Relation to Lamellar Tearing, 177-s to 178-s, 187-s, (June).
Lippold, J. C., Savage, W. F. and Baeslack, III, W. A.—Unmixed Zone Formation in Austenitic Stainless Steel Weldments, 168-s to 176-s, (June).
Lippold, J. C. and Savage, W. F.—Solidification of Austenitic Stainless Steel Weldments: Part 1—A Proposed Mechanism, 362-s to 374-s, (Dec).
Lugscheider, E., Klöhn, K. and Lison, R.—Strength of High Temperature Brazed Joints—Influence of Brazing Parameters, 296-s to 300-s, (Oct).
Lison, R., Lugscheider, E. and Klöhn, K.—Strength of High Temperature Brazed Joints—Influence of Brazing Parameters, 296-s to 300-s, (Oct).
Lison, R. and Stelzer, J. F.—Diffusion Welding of Reactive and Refractory Metals to Stainless Steel, 306-s to 314-s, (Oct).
Lundin, C. D. and Omar, A. A.—Pulsed Plasma-Pulsed GTA Arc: A Study of the Process Variables, 97-s to 105-s, (Apr).
Lyman, C. E.—Analytical Electron Microscopy of Stainless Steel Weld Metal, 189-s to 194-s, (July).

McNamara, P. and Singleton, O. R.—Zinc Distribution in Vacuum Brazed Alclad Brazing Sheet, 7-s to 11-s, (Jan).
Malik, L. and Graville, B. A.—Effect of Joint Restraint on Lamellar Tearing Susceptibility in Steel Plates, 12-s to 20-s, (Jan).
Matsuura, T., Satoh, K., Toyoda, M. and Ukita, K.—Undermatching Electrode Applied to HT80 Heavy Plates for Penstock, 25-s to 33-s, (Feb).
Matthews, S. J.—Simulated Heat-Affected Zone Studies of Hastelloy Alloy B-2, 91-s to 95-s, (Mar).
Metzger, G. E. and Chasteen, J. W.—Brazing of Hastelloy X with Wide Clearance Butt Joints, 111-s to 117-s, (Apr).
Mills, G. S.—Fundamental Mechanisms of Penetration in GTA Welding, 21-s to 24-s, (Jan).
Minato, S., Kimura, S., Kobayashi, M. and Godai, T.—Investigations on Chromium in Stainless Steel Welding Fumes, 195-s to 204-s, (July).
Moorhead, A. J. and Sikka, V. K.—Effects of Residual Niobium on Type 304 Stainless Steel, 253-s to 261-s, (Sept).
Morgan-Warren, E. J.—The Applications of Laser Welding to Overcome Joint Asymmetry, 76-s to 82-s, (Mar).
Mori, N., Shinmyo, K. and Homma, H.—A Mechanism of High Temperature Cracking in Steel Weld Metals, 277-s to 282-s, (Sept).
Moss, C. E.—Optical Radiation Transmission Levels Through Transparent Welding Curtains, 69-s to 75-s, (Mar).
Murphy, M. and Raghavan, D.—Fatigue Properties of 5456-H117 Aluminum Alloy Weldments, 355-s to 361-s, (Dec).

Nippes, E. F., Agusa, K. and Savage, W. F.—Effect of Arc Force on Defect Formation in GTA Welding, 212-s to 224-s, (July).
Nippes, E. F., Pellman, M. A. and Savage, W. F.—Hydrogen-Induced Cracking in Soviet Steels Involved in USA/USSR Exchange Program, 315-s to 323-s, (Nov).
Nippes, E. F., Varsik, J. D. and Savage, W. F.—Hot-Cracking Susceptibility of 3004 Aluminum, 45-s to 53-s, (Feb).
North, T. H., Bell, H. B., Koukabi, A. and Craig, I.—Notch Toughness of Low Oxygen Content Submerged Arc Deposits, 343-s to 354-s, (Dec).
Nurminen, J. I., Aspden, R. G. and Viswanathan, R.—Stress Corrosion Behavior of Stainless Steel Welds in High Temperature Water Containing Chlorides, 118-s to 126-s, (Apr).

Olson, D. L., Schwemmer, D. D. and Williamson, D. L.—The Relationship of Weld Penetration to the Weld Flux, 153-s to 160-s, (May).
Omar, A. A. and Lundin, C. D.—Pulsed Plasma-Pulsed GTA Arc: A Study of the Process Variables, 97-s to 105-s, (Apr).

Pellman, M. A., Savage, W. F. and Nippes, E. F.—Hydrogen-Induced Cracking in Soviet Steels Involved in USA/USSR Exchange Program, 315-s to 323-s, (Nov).
Purazrang, K.—A Fracture Mechanics Approach to the Repair of Ferritic Stainless Steel Castings, 248-s to 252-s, (Aug).
Purazrang, K. and Tavassoli, A. A.—Technical Note: Inclusion Induced Lamellar Tearing in Steel Pipe, 262-s and 276-s, (Sept).

Raghavan, D and Murphy, M.—Fatigue Properties of 5456-H117 Aluminum Alloy Weldments, 355-s to 361-s, (Dec).
Reid, H. F. and Szumachowski, E. R.—Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part II—Role of Nitrogen, 34-s to 44-s, (Feb).
Ries, G. D. and Dickinson, D. W.—Implant Testing of Medium to High Strength Steel—A Model for Predicting Delayed Cracking Susceptibility, 205-s to 211-s, (July).

Satoh, K., Toyoda, M., Ukita, K. and Matsuura, T.—Undermatching Electrode Applied to HT80 Heavy Plates for Penstock, 25-s to 33-s, (Feb).
Savage, W. F. and Lippold, J. C.—Solidification of Austenitic Stainless Steel Weldments: Part 1—A Proposed Mechanism, 362-s to 374-s, (Dec).
Savage, W.F., Baeslack, III, W. A. and Lippold, J. C.—Unmixed Zone Formation in Austenitic Stainless Steel Weldments, 168-s to 176-s, (June).
Savage, W. F., Duquette, D. J. and Baeslack, III, W. A.—Effect of Nitrogen on the Microstructure and Stress Corrosion Cracking of Stainless Steel Weld Metals, 83-s to 90-s, (Mar).
Savage, W. F., Nippes, E. F. and Agusa, K.—Effect of Arc Force On Defect Formation in GTA Welding, 212-s to 224-s, (July).
Savage, W. F., Nippes, E. F. and Pellman, M. A.—Hydrogen-Induced Cracking in Soviet Steels Involved in USA/USSR Exchange Program, 315-s to 323-s, (Nov).
Savage, W. F., Nippes, E. F. and Varsik, J. D.—Hot-Cracking Susceptibility of 3004 Aluminum, 45-s to 53-s, (Feb).
Schmid, G. C. and Jesseman, R. J.—Influence of Some Steelmaking Variables on Ship Plate Weldment Toughness, 239-s to 247-s, (Aug).
Schwemmer, D. D., Olson, D. L. and Williamson, D. L.—The Relationship of Weld Penetration to the Weld Flux, 153-s to 160-s, (May).
Shinmyo, K., Homma, H. and Mori, N.—A Mechanism of High Temperature Cracking in Steel Weld Metals, 277-s to 282-s, (Sept).
Sidorowicz, K.—Finite Element Analysis of Laser Welding Induced Thermal Shock, 324-s to 329-s, (Nov).
Signes, E. G. and Baker, J. C.—Effect of Columbium and Vanadium on the Weldabilaity of HSLA Steels, 179-s to 187-s, (June).
Sikka, V. K. and Moorhead, A. J.—Effects of Residual Niobium on Type 304 Stainless Steel, 253-s to 261-s, (Sept).
Singleton, O. R. and McNamara, P.—Zinc Distribution in Vacuum Brazed Alclad Brazing Sheet, 7-s to 11-s, (Jan).
Steffans, H. D., Engelhart, A. H., Wielage, B. and Weiss, B. Z.—Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718 Nickel-Base Alloy, 287-s to 295-s, (Oct).
Stelzer, J. F. and Lison, R.—Diffusion Welding of Reactive and Refractory Metals to Stainless Steel, 306-s to 314-s, (Oct).
Stout, R. D.—Design, Materials and Fabrication—A Synergism, 106-s to 110-s, (Apr).
Stout, R. D. and Yoshino, Y.—Effect of Microalloys on the Notch Toughness of Line Pipe Seam Welds, 59-s to 68-s, (Mar).
Szumachowski, E. R. and Reid, H. F.—Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part II—Role of Nitrogen, 34-s to 44-s, (Feb).

Tavassoli, A. A. and Purazrang, K.—Technical Note: Inclusion Induced Lamellar Tearing in Steel Pipe, 262-s, 276-s, (Sept).
Toyoda, M., Ukita, K., Matsuura, T., and Satoh, K.—Undermatching Electrode Applied to HT80 Heavy Plates for Penstock 25-s to 33-s, (Feb).

Ukita, K., Matsuura, T., Satoh, K. and Toyoda, M.—Undermatching Electrode Applied to HT80 Heavy Plates for Penstock, 25-s to 33-s, (Feb).

Varsik, J. D., Savage, W. F. and Nippes, E. F.—Hot-Cracking Susceptibility of 3004 Aluminum, 45-s to 53-s, (Feb).
Viswanathan, R., Nurminen, J. I. and Aspden, R. G.—Stress Corrosion Behavior of Stainless Steel Welds in High Temperature Water Containing Chlorides, 118-s to 126-s, (Apr).

Weiss, B. Z., Steffans, H. D., Engelhart, A. H. and Wielage, B.—Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718 Nickel-Base Alloy, 287-s to 295-s, (Oct).
Wielage, B., Weiss, B. Z., Steffans, H. D. and Engelhart, A. H.—Static and Dynamic Crack Toughness of Brazed Joints of Inconel 718 Nickel-Base Alloy, 287-s to 295-s, (Oct).
Williamson, D. L., Schwemmer, D. D. and Olson, D. L.—The Relationship of Weld Penetration to the Weld Flux, 153-s to 160-s, (May).

Yoshino, Y. and Stout, R. D.—Effect of Microalloys on the Notch Toughness of Line Pipe Seam Welds, 59-s to 68-s (Mar).

. . . Additional Literature Available . . .

- For information concerning the *Welding Handbook* and other AWS literature including specifications, standards, and recommended practices relating to welding, brazing, and associated processes, write to: American Welding Society, 2501 N.W. 7th Street, Miami, FL 33125.
- For information concerning WRC Bulletins, WRC Interpretive Reports and related literature describing the results of research dealing with significant areas of interest to the welding industry, write to: Welding Research Council, 345 E. 47th Street, New York, NY 10017.